



Ў / N
MAGM MVRLA M M M M M M M
M M M Q M M M M M
1995 N
ISO19001 ISO16949 N
□ | 1 N

M ~ ° N

N
FOB 1 N
20-25 N

TT D/P LC OA ~ N
30-45 N

- 1.
- 2.
- 3.
- 4. O π N

- 1. ¥ ~
- 2. dz ~
- 3. ~ ~ N

	π	π Ah	ë	° π		Ў
--	---	---------	---	-----	--	---

[illegible]

48D26R	2	50	268 * 173 * 202 * 224	9.30	+ -	A,B
48D26L	1	50	268 * 173 * 202 * 224	9.80	- +	A,B
48D26L	2	50	268 * 173 * 202 * 224	9.30	- +	A,B
55D26R	1	60	270 * 175 * 200 * 225	11.45	+ -	A,B
55D26R	2	60	270 * 175 * 200 * 225	9.80	+ -	A,B
55D26L	1	60	270 * 175 * 200 * 225	11.45	- +	A,B
55D26L	2	60	270 * 175 * 200 * 225	9.80	- +	A,B
75D26R	1	65	260 * 175 * 200 * 220	11.45	+ -	A,B
75D26R	2	65	260 * 175 * 200 * 220	10.70	+ -	A,B
75D26L	1	65	260 * 175 * 200 * 220	11.45	- +	A,B
75D26L	2	65	260 * 175 * 200 * 220	10.70	- +	A,B
80D26R	1	70	260 * 175 * 200 * 220	12.20	+ -	A,B
80D26R	2	70	260 * 175 * 200 * 220	11.45	+ -	A,B
80D26L	1	70	260 * 175 * 200 * 220	12.20	- +	A,B
80D26L	2	70	260 * 175 * 200 * 220	11.45	- +	A,B
55D23R	1	60	229 * 173 * 201 * 220	11.20	+ -	A,B
55D23R	2	60	229 * 173 * 201 * 220	10.45	+ -	A,B
55D23L	1	60	229 * 173 * 201 * 220	11.20	- +	A,B
55D23L	2	60	229 * 173 * 201 * 220	10.45	- +	A,B
75D23R	1	65	229 * 173 * 201 * 220	11.20	+ -	A,B
75D23R	2	65	229 * 173 * 201 * 220	10.45	+ -	A,B
75D23L	1	65	229 * 173 * 201 * 220	11.20	- +	A,B
75D23L	2	65	229 * 173 * 201 * 220	10.45	- +	A,B
85D23R	1	68	229 * 173 * 201 * 220	11.95	+ -	A,B
85D23R	2	68	229 * 173 * 201 * 220	11.20	+ -	A,B

[illegible]

115E41L	2	110	401 * 171 * 208 * 228	17.30	→	A,B
6TN-100	1	100	277 * 265 * 204 * 256	16.00	'→	A,B
6TN-100	2	100	277 * 265 * 204 * 256	14.80	'→	A,B
53646	1	36	210 * 175 * 175	7.73	→	A,B
53646	2	36	210 * 175 * 175	6.40	→	A,B
53647	1	36	210 * 175 * 175	7.73	+→	A,B
53647	2	36	210 * 175 * 175	6.40	+→	A,B
54321	1	43	210 * 175 * 175	8.23	→	A,B
54321	2	43	210 * 175 * 175	7.00	→	A,B
54322	1	43	210 * 175 * 175	8.23	+→	A,B
54322	2	43	210 * 175 * 175	7.00	+→	A,B
54459	1	44	210 * 175 * 190	8.23	→	A,B
54459	2	44	210 * 175 * 190	7.00	→	A,B
54464	1	44	210 * 175 * 190	8.23	+→	A,B
54464	2	44	210 * 175 * 190	7.00	+→	A,B
54519	1	45	240 * 175 * 175	8.70	→	A,B
54519	2	45	240 * 175 * 175	8.10	→	A,B
54520	1	45	240 * 175 * 175	8.70	+→	A,B
54520	2	45	240 * 175 * 175	8.10	+→	A,B
55046	1	50	240 * 175 * 175	9.30	+→	A,B
55046	2	50	240 * 175 * 175	8.70	+→	A,B
55457	1	54	240 * 175 * 175	9.80	→	A,B
55457	2	54	240 * 175 * 175	9.20	→	A,B
55459	1	54	240 * 175 * 175	9.80	+→	A,B
55459	2	54	240 * 175 * 175	9.20	+→	A,B
56077	1	60	240 * 175 * 175	9.80	→	A,B
56077	2	60	240 * 175 * 175	9.20	→	A,B
55559	1	55	240 * 175 * 190	9.49	→	A,B
55559	2	55	240 * 175 * 190	8.70	→	A,B
55548	1	55	240 * 175 * 190	9.49	+→	A,B
55548	2	55	240 * 175 * 190	8.70	+→	A,B
55565	1	55	240 * 175 * 190	9.49	+→	A,B

55565	2	55	240 * 175 * 190	8.70	+ -	A,B
55531	1	55	240 * 175 * 190	9.49	- +	A,B
55531	2	55	240 * 175 * 190	8.70	- +	A,B
56219	1	62	240 * 175 * 190	10.00	- +	A,B
56219	2	62	240 * 175 * 190	9.30	- +	A,B
56220	1	62	240 * 175 * 190	10.00	+ -	A,B
56220	2	62	240 * 175 * 190	9.30	+ -	A,B
56221	1	62	240 * 175 * 190	10.00	- +	A,B
56221	2	62	240 * 175 * 190	9.30	- +	A,B
55415	1	54	274 * 175 * 175	10.17	- +	A,B
55415	2	54	274 * 175 * 175	9.40	- +	A,B
56318	1	63	274 * 175 * 175	10.77	- +	A,B
56318	2	63	274 * 175 * 175	10.00	- +	A,B
56420	1	64	274 * 175 * 175	10.77	- +	A,B
56420	2	64	274 * 175 * 175	10.00	- +	A,B
56818	1	68	274 * 175 * 175	11.37	- +	A,B
56818	2	68	274 * 175 * 175	10.60	- +	A,B
56821	1	68	274 * 175 * 175	11.37	- +	A,B
56821	2	68	274 * 175 * 175	10.60	- +	A,B
56828	1	68	274 * 175 * 175	11.37	+ -	A,B
56828	2	68	274 * 175 * 175	10.60	+ -	A,B
57113	1	71	274 * 175 * 175	11.37	- +	A,B
57113	2	71	274 * 175 * 175	10.60	- +	A,B
57114	1	71	274 * 175 * 175	11.37	+ -	A,B
57114	2	71	274 * 175 * 175	10.60	+ -	A,B
56638	1	66	274 * 175 * 190	10.95	- +	A,B
56638	2	66	274 * 175 * 190	10.00	- +	A,B
56633	1	66	274 * 175 * 190	10.95	+ -	A,B
56633	2	66	274 * 175 * 190	10.00	+ -	A,B
57219	1	72	274 * 175 * 190	11.55	+ -	A,B
57219	2	72	274 * 175 * 190	10.60	+ -	A,B
57220	1	72	274 * 175 * 190	11.55	- +	A,B
57220	2	72	274 * 175 * 190	10.60	- +	A,B
57412	1	74	274 * 175 * 190	11.55	- +	A,B

[illegible]

[illegible]

58513	2	85	310 * 170 * 200 * 220	13.00	+-	A,B
58514	1	85	310 * 170 * 200 * 220	14.50	+-	A,B
58514	2	85	310 * 170 * 200 * 220	13.00	+-	A,B
59518	1	95	310 * 170 * 200 * 220	15.00	+-	A,B
59518	2	95	310 * 170 * 200 * 220	13.50	+-	A,B
59519	1	95	310 * 170 * 200 * 220	15.00	+-	A,B
59519	2	95	310 * 170 * 200 * 220	13.50	+-	A,B
55716	1	57	240 * 175 * 153 * 175	8.80	+-	A,B
55716	2	57	240 * 175 * 153 * 175	8.20	+-	A,B
56011	1	60	240 * 175 * 153 * 175	9.30	+-	A,B
56011	2	60	240 * 175 * 153 * 175	8.70	+-	A,B
60026	1	100	405 * 170 * 200 * 220	17.30	+-	A,B
60026	2	100	405 * 170 * 200 * 220	15.80	+-	A,B
60035	1	100	405 * 170 * 200 * 220	17.30	+-	A,B
60035	2	100	405 * 170 * 200 * 220	15.80	+-	A,B
61017	1	110	405 * 170 * 200 * 220	18.80	+-	A,B
61017	2	110	405 * 170 * 200 * 220	17.30	+-	A,B
135F51	1	120	505 * 180 * 208 * 231	21.10		A,B
135F51	2	120	505 * 180 * 208 * 231	19.60		A,B
160G51	1	150	506 * 221 * 210 * 233	24.80		A,B
160G51	2	150	506 * 221 * 210 * 233	23.30		A,B
210H52	1	200	515 * 265 * 215 * 238	30.62		A,B
210H52	2	200	515 * 265 * 215 * 238	27.62		A,B
62034	1	120	505 * 180 * 210 * 230	21.25		A,B
62034	2	120	505 * 180 * 210 * 230	19.75		A,B

62038	1	120	505 * 180 * 210 * 230	21.25		A,B
62038	2	120	505 * 180 * 210 * 230	19.75		A,B
63530	1	135	505 * 180 * 210 * 230	22.00		A,B
63530	2	135	505 * 180 * 210 * 230	20.50		A,B
63532	1	135	505 * 180 * 210 * 230	22.00		A,B
63532	2	135	505 * 180 * 210 * 230	20.50		A,B
64020	1	140	505 * 180 * 210 * 230	22.75		A,B
64020	2	140	505 * 180 * 210 * 230	21.25		A,B
64028	1	140	505 * 180 * 210 * 230	22.75		A,B
64028	2	140	505 * 180 * 210 * 230	21.25		A,B
64317	1	143	505 * 220 * 210 * 230	25.20		A,B
64317	2	143	505 * 220 * 210 * 230	23.70		A,B
64318	1	143	505 * 220 * 210 * 230	25.20		A,B
64318	2	143	505 * 220 * 210 * 230	23.70		A,B
65513	1	155	505 * 220 * 210 * 230	25.20		A,B
65513	2	155	505 * 220 * 210 * 230	23.70		A,B
65514	1	155	505 * 220 * 210 * 230	25.20		A,B
65514	2	155	505 * 220 * 210 * 230	23.70		A,B
67043	1	170	505 * 220 * 210 * 230	26.70		A,B
67043	2	170	505 * 220 * 210 * 230	25.20		A,B
67044	1	170	505 * 220 * 210 * 230	26.70		A,B
67044	2	170	505 * 220 * 210 * 230	25.20		A,B
68022	1	180	505 * 220 * 210 * 230	26.70		A,B
68022	2	180	505 * 220 * 210 * 230	25.20		A,B
68029	1	180	505 * 220 * 210 * 230	26.70		A,B

68029	2	180	505 * 220 * 210 * 230	25.20		A,B
68039	1	180	515 * 265 * 215 * 235	28.78		A,B
68039	2	180	515 * 265 * 215 * 235	27.28		A,B
68040	1	180	515 * 265 * 215 * 235	28.78		A,B
68040	2	180	515 * 265 * 215 * 235	27.28		A,B
70027	1	200	515 * 265 * 215 * 235	30.62		A,B
70027	2	200	515 * 265 * 215 * 235	29.12		A,B
70029	1	200	515 * 265 * 215 * 235	30.62		A,B
70029	2	200	515 * 265 * 215 * 235	29.12		A,B
71014	1	210	515 * 265 * 215 * 235	31.40		A,B
71014	2	210	515 * 265 * 215 * 235	29.90		A,B
71015	1	210	515 * 265 * 215 * 235	31.40		A,B
71015	2	210	515 * 265 * 215 * 235	29.90		A,B
72511	1	225	515 * 265 * 215 * 235	32.12		A,B
72511	2	225	515 * 265 * 215 * 235	30.62		A,B
73010	1	230	515 * 265 * 215 * 235	32.12		A,B
73010	2	230	515 * 265 * 215 * 235	30.62		A,B
73011	1	230	515 * 265 * 215 * 235	32.12		A,B

**Product
link**

<https://www.songlibattery.com/electric-vehicle-car-battery-dry-charged-lead-acid-battery-dry-36b20l-product/>